

**Response Under 37 CFR 1.116**

**Expedited Procedure**


**Examining Group 3700**

Application No. 10/712,917

Paper Dated October 10, 2006

Reply to USPTO Correspondence of May 8, 2006

Attorney Docket No. 3419-032151



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No. : 10/712,917

Applicant : J. Michael Teets, et al.

Filed : November 13, 2003

Title : AN ELECTRICITY GENERATING SYSTEM HAVING AN ANNULAR COMBUSTOR

Group Art Unit : 3746

Examiner : Charles Grant Freay

Confirmation No. : 2361

Customer No. : 28289

MAIL STOP AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**SUPPLEMENTAL AMENDMENT AFTER FINAL**

Sir:

Accompanying this Supplemental Amendment is a Petition for Extension of Time, extending for a period of one additional month (two months total), the time in which to file a response to the outstanding Office Action until October 8, 2006. This response is being filed on Tuesday, October 10, 2006, which is the first business day after Sunday, October 8, 2006 since Monday, October 9, 2006 was a federal holiday. The fee for the first month extension was paid with the Amendment After Final filed September 7, 2006 but not entered.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October 10, 2006.

Christine A. Canavan

*Christine A. Canavan*

Signature

10/10/2006

Date

**Response Under 37 CFR 1.116**

**Expedited Procedure**

**Examining Group 3700**

Application No. 10/712,917

Paper Dated October 10, 2006

Reply to USPTO Correspondence of May 8, 2006

Attorney Docket No. 3419-032151

In response to the Final Office Action dated May 8, 2006, Applicants hereby submit the following amendments and remarks:

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper

**Remarks** begin on page 4 of this paper.